Site Inspection Report

Corporate Services Office of the City Clerk



Site					
St. Martin Secondary School	Address:		a, Ontario L5C 1X		School Times 8:27 AM PM WTS V C Yes No
Student Population 1021 French I	mmersion Population		o. of Large Buses o. of Students on the Bu		of Small Buses 6 of Students on the Bus 15
School: Hawthorn Public Scho	ol Address:	2473 Rosen Mississauga	nary Drive a, Ontario L5C 1X	1	School Times 9:00 AM 3:30 PM WTS
Student Population 222 French	Immersion Populatio	_	o. of Large Buses o. of Students on the Bu	0	of Small Buses 1 of Students on the Bus 4
Location: (Please identify the location we nearest intersection. Indicate nearest section.)		On Rosemary	y Drive (between 24	170 and 2473)	
Proximity to School	in front of		within	feet	/metres
Accident History (during school times) Yes		Comments:			
Date of Inspection: 202 03	16 Insp	ection Time: 7:57 AM	3:30 _{PM}	Requested By: Res	sident
Prepared By: P. Westbrook			Request For: Safety	/ Review	
Observers	One Sant				THE REST OF STREET, ST
File Number:	File N RT.1	Number:		Ward: Ward 7	
Observed By: M. Roque				_ AM	✓ PM AM & PM
Observed By: S. Coric				▼ AM	PM AM & PM
Observed By: P. Westbrook				_ AM	PM AM & PM
Observed By: D. Marcotte - Peel D	istrict School Bo	ard		✓ AM	PM AM & PM
Observed By: J. Attard - Dufferin-F	Peel Catholic Dis	trict School Bo	oard	✓ AM	PM AM & PM
Observed By:	numero ministration in the account of the second			AM [PM AM & PM
Site Conditions					
School Signs: School Signs:	chool Area Signs	School Cros	ssing Signs	Parking/Stopping Prof	nibition
Posted Speed Limit: 40) km/hr 5	0 km/hr	60 km/hr	Other:	
Visibility of Crossing Pedestrians:	oor F	air 🗸	Good Com	ments:	
Sight Obstructions:	edges T ewspaper Boxes	rees	Fences Other (Specify):	Bus Shelter	
Road Grade:		Inclin		Decline	
Road Geometrics:	raight	Curve	ed Comn	nents:	
Leg: NSEW		t/metres	la continue control	No. of Through Lanes	No. of Turning Lanes
Road Width: Curb to	o Curb:	No. o	of Bike Lanes	No. of Through Lanes	No. of Turning Lanes
Road Conditions: AM:	□ Dry	☐ Wet	Snow Covere		Parameter
PM: Sidewalks:	Dry	Wet Verth	Snow Covere		.+
	ot Present Nopping Area	lorth Construction		Familian Control	Parked Vehicle(s)
Process	ansit Bus Stop	Underpass	processor and the second		er (specify): DEAD-END ROAD

Details		8.1	於相談知過
Weather Condi	tions: AM:	✓ Dry Sunny Rain Snow Temperature: - 2 C Other:	
	PM:	✓ Dry Sunny Rain Snow Temperature: + 2 C Other:	
Type of Crossin		4 Way Intersection 3 Way Intersection Midblock (i.e., not an intersection)	
Type of Control	:	☐ Traffic Lights ☐ Yield Signs	
		Stop Signs (Traffic is stopped on one street only) All Way Stop (Traffic is stopped in all directions	s)
Crossing Gua	ard Warrant	Survey	
Location: On F	Rosemary Driv	ive (between 2470 and 2473)	
Safe Gap T	īme	Safe Gap Time Calculation (if applicable): $\left(\frac{W}{3.5} + 4\right)$ N/A = sec.	
Signalized	Intersection Tu	(width figure measured in feet) $(3.5)^{+4}$ N/A = sec.	
Morning Inte			
# of Peds	Time (AM)	Gaps Leg: □ N □ S □ E □ W	# of Gaps
	7:30 - 7:35		
	7:35 - 7:40		
	7:40 - 7:45		
	7:45 - 7:50		
Security in the companies of signature in the security of	7:50 - 7:55		
	7:55 - 8:00		
	8:00 - 8:05		
	8:05 - 8:10		
	8:10 - 8:15	5	
	8:15 - 8:20		
	8:20 - 8:25		
	8:25 - 8:30		
	8:30 - 8:35		
	8:35 - 8:40		
	8:40 - 8:45		
	8:45 - 8:50	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	
To the second se	8:50 - 8:55		
	8:55 - 9:00		
Afternoon Int	tervals		
# of Peds	Time (PM)	Gaps Leg: N S E W	# of Gaps
	2:30 - 2:35		
	2:35 - 2:40		
	2:40 - 2:45		
	2:45 - 2:50		
	2:50 - 2:55		
	2:55 - 3:00		
	3:00 - 3:05		
	3:05 - 3:10		
	3:10 - 3:15		
	3:15 - 3:20		
	3:20 - 3:25		And the second second second
- Singramating happen when developed	3:25 - 3:30		
	3:30 - 3:35		
	3:35 - 3:40	In the property of the contract of the contrac	
	3:40 - 3:45	And a class of the processing of the contract	
	3:45 - 3:50	List delitation of the Control of th	
	3:50 - 3:55	Figure 1 and	
	3:55 - 4:00		

Observations
Volume of Traffic (see Intersection Plan): AM: ☐ Heavy ☐ Light ✓ Intermittent PM: ☐ Heavy ✓ Light ☐ Intermittent
Number of Crossing Pedestrians:
AM: North East South West PM: North East South West Turning Traffic:
AM: Heavy Light Intermittent PM: Heavy Light Intermittent
Traffic Behaviour
AM: Illegal U-turns Running Red Light Speeding Stopping Non-Compliance Illegal Stopping Illegal Parking Other
PM: Illegal U-turns Running Red Light Speeding Stopping Non-Compliance Illegal Stopping Illegal Parking Other
Comments/Conflicts
- SCHOOL TRAFFIC LIGHTER THAN NORMAL DUE TO COVID-19 PANDEMIC RESTRICTIONS, MANY STUDENTS NOT ATTENDING CLASSES. ST. MARTIN SECONDARY SCHOOL CLASSES IN AM ONLY.
- ALL PARENTS, BOTH SCHOOLS, DROPPED OFF STUDENTS ON SCHOOL PROPERTY BOTH AM AND PM. NO ONE STOPPED ON THE STREET.
- ROSEMARY DRIVE DEAD-ENDS AT THE SCHOOLS. - FEW WALKERS BOTH AM AND PM.
- HAWTHORN PUBLIC SCHOOL PICKUP AT END OF DAY - CURRENTLY THERE ARE ENOUGH FREE PARKING SPOTS DUE TO LOW ENROLLMENT DURING COVID-19 PANDEMIC FOR PARENTS TO BE ABLE TO PARK AND WAIT FOR THEIR STUDENTS.
 PEEL DISTRICT SCHOOL BOARD AND DUFFERIN-PEEL CATHOLIC DISTRICT SCHOOL BOARD REPRESENTATIVES ATTENDED THE SAFETY REVIEW. THE DUFFERIN-PEEL CATHOLIC DISTRICT SCHOOL BOARD WILL BE ADDING SIGNAGE AT THE ENTRANCE TO ST. MARTIN SECONDARY SCHOOL AND A STOP BAR AT THE EXIT ON SCHOOL PROPERTY FOR BETTER TRAFFIC CONTROL.
Recommendations
Recommendations
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
 THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
1) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. 2) THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
 THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
 THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.
 THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE SIGNAGE ON ROSEMARY DRIVE. THAT THE PEEL DISTRICT SCHOOL BOARD BE REQUESTED TO REVIEW THE FEASIBILITY OF INSTALLING A KISS AND RIDE LAYOUT AT HAWTHORN PUBLIC SCHOOL.



St. Martin Catholic Secondary School Regional Sport School



2470 Rosemary Drive • Mississauga, Ontario • L5C 1X2 • Tel: 905 279-3171 • Fax: 905 279-3685

March 17, 2021

Dear St. Martin Families,

We take the safety of our students and those of neighboring Hawthorn Public very seriously.

In keeping with the safety of students from both schools, we kindly ask you to respect the drop off zones and adhere to the local traffic by-laws surrounding both schools.

Please refer to the attached map for a directory of the designated student drop area.



Although there are 4 pathways to access our school, parents are encouraged to drop off the student(s) at the roundabout by the main entrance.

Please consider the following: .

- Do not make U Turns just prior to entering the roundabout.
- Do not drop off students at the entrance to the driveway.
- Do not access the staff parking area.

By dropping your student off in the designated area, we will eliminate/reduce congestion as well as unsafe conditions for staff and students accessing the parking and/or the building.

We thank you for considering these safety precautions when dropping off the students.

Regards,

Jason Pratt Principal