



COMMITTEE OF ADJUSTMENT NOTICE OF PUBLIC HEARING

File: A220.21
Ward: 1

Why you received this letter:

You are receiving this letter because you are the owner of a neighbouring property within 60m (200ft) of the subject property, or are the agent/interested party/owner of the property for the application.

Details of the application and meeting information:

The property owner of 925 Goodwin Road, zoned R3-75 - Residential, has applied for a minor variance under Section 45 of the Planning Act. The applicant requests the Committee to approve a minor variance to allow the construction of a new dwelling proposing:

1. A lot coverage of 43.24% whereas By-law 0225-2007, as amended, permits a maximum lot coverage of 35.00% in this instance;
2. A building height measured to the eaves of 7.28m (approx. 23.88ft) whereas By-law 0225-2007, as amended, permits a maximum building height measured to the eaves of 6.40m (approx. 20.99ft) in this instance;
3. A front yard soft landscape percentage of 34.7% whereas By-law 0225-2007, as amended, requires a minimum front yard soft landscape percentage of 40.0% in this instance;
4. A front yard of 5.52m (approx. 18.11ft) whereas By-law 0225-2007, as amended, requires a minimum front yard of 7.50m (approx. 24.61ft) in this instance;
5. A front yard measured to a porch of 5.49m (approx. 18.01ft) whereas By-law 0225-2007, as amended, requires a minimum front yard measured to a porch of 5.90m (approx. 19.36ft) in this instance;
6. A front yard measured to a concrete planter of 4.58m (approx. 15.03ft) whereas By-law 0225-2007, as amended, requires a minimum front yard measured to a porch of 5.90m (approx. 19.36ft) in this instance;
7. A front yard measured to a paved landing (stair) of 2.78m (approx. 9.12ft) whereas By-law 0225-2007, as amended, requires a minimum front yard measured to a paved landing (stair) of 5.90m (approx. 19.36ft) in this instance;
8. A front yard measured to a balcony of 5.95m (approx. 19.52ft) whereas By-law 0225-2007, as amended, requires a minimum front yard measured to a balcony of 6.50m (approx. 21.33ft) in this instance;
9. A front yard measured to an eave overhang of 5.06m (approx. 16.60ft) whereas By-law 0225-2007, as amended, requires a minimum front yard measured to an eave overhang of 7.05m (approx. 23.13ft) in this instance;
10. An easterly side yard of 1.22m (approx. 4.00ft) whereas By-law 0225-2007, as amended, requires a minimum easterly side yard of 1.81m (approx. 5.93ft) in this instance;
11. A westerly side yard of 1.21m (approx. 3.97ft) whereas By-law 0225-2007, as amended, requires a minimum westerly side yard of 1.81m (approx. 5.93ft) in this instance;
12. An eave overhang over the easterly side yard of 0.61m (approx. 2.00ft) whereas By-law 0225-2007, as amended, requires a minimum eave over hang over the easterly side yard of 1.36m (approx. 4.46ft) in this instance;
13. An eave overhang over the westerly side yard of 1.11m (approx. 3.64ft) whereas By-law 0225-2007, as amended, requires a minimum eave over hang over the westerly side yard of 1.36m (approx. 4.46ft) in this instance;
14. A dwelling unit depth of 20.92m (approx. 68.64ft) whereas By-law 0225-2007, as amended, permits a maximum dwelling unit depth of 20.00m (approx. 35.60ft) in this instance; and

15. A walkway connection width of 1.83m (approx. 6.00ft) whereas By-law 0225-2007, as amended, permits a maximum walkway connection width of 1.50m (approx. 4.92ft) in this instance.

The Committee has set **Thursday July 22, 2021 at 1:00 pm** for the public hearing on this matter. As a result of COVID-19 restrictions and under the authority of the *Municipal Act, Emergency Management and Civil Protection Act* and *Statutory Powers Procedure Act*, City Council approved Committee of Adjustment hearings to be held electronically during an Emergency. All items on the agenda are scheduled for 1:00 pm and will be heard in the order shown on the agenda.

You can get more information on this matter by emailing committee.adjustment@mississauga.ca or calling 905-615-3200 x2408. You can review city staff and agency comments one week before the hearing at the following link: <http://www.mississauga.ca/portal/cityhall/calendar>. Hearings will be streamed online for the public to view at the following link: <http://www.mississauga.ca/portal/cityhall/council-and-committee-videos>.

If you wish to be notified of the decision of the Committee you must submit a written request to the Secretary-Treasurer via email or mail. This will also entitle you to be advised of appeal to the Local Planning Appeal Tribunal.

How to submit a written comment:

Written comments to the Committee must be received no later than 4:30pm the Tuesday prior to the hearing. Submissions are accepted by email at committee.adjustment@mississauga.ca or by mailing the Committee of Adjustment, 300 City Centre Drive 2nd Floor, Mississauga, ON L5B 3C1. Please include your name, your address, and application number or address of the property you are providing comments on.

Advance registration is required to participate in the electronic hearing:


To participate electronically (computer, tablet or smartphone): Please email committee.adjustment@mississauga.ca no later than 4:30pm the Tuesday prior to the hearing. Any materials you wish to show the Committee during your presentation must be provided as an attachment to the email. Links to cloud services will not be accepted.

To participate by telephone: To register, please call 905-615-3200 x2408 no later than 4:30pm the Tuesday prior to the hearing. You must provide your name, phone number, and application you wish to speak to. Committee staff will provide you with further details prior to the start of the hearing.

Legal notice:

If holding an electronic rather than an oral hearing is likely to cause a party significant prejudice a written request may be made to have the Committee consider holding an oral hearing on an application. The request must include your name, address, contact information, and the reasons for prejudice and must be received no later than 4:30pm the Tuesday prior to the hearing to committee.adjustment@mississauga.ca. If a party does not submit a request and does not participate in the hearing the Committee may proceed without a party's participation and the party will not be entitled to any further notice regarding the proceeding.

Your comments are collected under the legal authority of the Planning Act R.S.O. 1990, Chapter c.P.13, as amended. Your comments regarding this application become the property of the City of Mississauga and will become part of the decision making process of the application. Pursuant to Section 27 of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c.M56, as amended, public feedback to planning proposals is considered a public record and will be disclosed to any individual (including being posted on the internet) upon request in accordance with Section 27 of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c.M56, as amended. Questions about this collection should be directed to the Secretary-Treasurer, Committee of Adjustment, Office of the City Clerk, 300 City Centre Drive, Mississauga ON L5B 3C1 or (905) 615-3200 x2408.



A220/21
925 Goodwin
Rd.