## Site Inspection Report






Site		
	790 Paisley Blvd W	School Times 9:00 AM 3:30 PM
	Mississauga, ON L5C 3P5	WTS V Yes No
Student Population 220 French Immersion Population	No. of Large Buses No. of Students on the Bus	No. of Small Buses No. of Students on the Bus
School: Address:		School Times AM
		WTS Yes No
Student Population French Immersion Population	No. of Large Buses No. of Students on the Bus	No. of Small Buses No. of Students on the Bus
Location: (Please identify the location with reference or		
nearest intersection. Indicate nearest school and address)	Queensway West & Shardawn Me	WS
in front of	within	550 feet <mark>/metres</mark>
Accident History (during school times) Yes No	Comments:	
Date of Inspection: 2021 11 26 Inspec	ction Time: 8:30 AM 3:30 PM	Requested By: Principal
Prepared By:	Request For:	
W. Yonan / S. Duffin		entation of a School Crossing Guard
Observers		
File Number: File Nr.10		Ward: Ward 7
Observed By: W. Yonan (Nov. 26, 2021)		✓ AM PM AM & PM
Observed By: S. Duffin (December 15, 2021)		☐ AM ✓ PM ☐ AM & PM
Observed By: M. Roque (December 15, 2021)		☐ AM ✓ PM ☐ AM & PM
Observed By:		AM PM AM&PM
Observed By:		☐ AM ☐ PM ☐ AM & PM
Observed By:		AM PM AM&PM
Site Conditions		
School Signs: School Area Signs	School Crossing Signs	Parking/Stopping Prohibition
Example 1	km/hr 60 km/hr C	Other:
Visibility of Crossing Pedestrians: Poor Fa	ir Good Comme	ents:
Sight Obstructions: Hedges Tree Newspaper Boxes	ees Fences E	Bus Shelter
Road Grade:		Decline
Road Geometrics:	Curved Shardawn Commen	ts: TO NORTH
Road Width: Queensway W. Curb to Curb: Leg: N S V E W feet	No. of Bike Lanes No.	of Through Lanes 2 No. of Turning Lanes
Road Width: Shardawn NewsCurb to Curb:	No. of Bike Lanes 2 No.	of Through Lanes 2 No. of Turning Lanes
Pood Conditions: AM:	☐ Wet ☐ Snow Covered ☐ Wet ☐ Snow Covered	Ice * (EAST + WEST ON SOUT
	orth South * East	LEG. NONE NORTH
Route Survey: Shopping Area Transit Bus Stop	Construction Driver Underpass Within feet/r	

Details			9.4
Weather Con	ditions: AM:	✓ Dry Sunny Rain Snow Temperature: -1 C Other:	
	PM:	✓ Dry Sunny Rain Snow Temperature: +7C Other: CLoc	(DV
Type of Cross		✓ 4 Way Intersection	
Type of Contr		Name years	
Type of Conti	101.	Traffic Lights	\
0 . 0	1777		15)
Location:	uard Warrant	Survey	
Qu	ueensway Wes	t & Shardawn Mews	
✓ Safe Gap	o Time	Safe Gap Time Calculation (if applicable): / W + 1	OF HANDSHIP OF STREET
possesse		Safe Gap Time Calculation (if applicable): $\left(\frac{W}{3.5} + 4\right)$	
		ining traine count	
Morning In			п
# of Peds	Time (AM)	Gaps Leg: □ N □ S ✓ E □ W	# Ga
	7:30 - 7:3		
	7:35 - 7:40		
	7:40 - 7:45		
	7:45 - 7:50		
	7:50 - 7:5		
	7:55 - 8:00		
	8:00 - 8:05		
	8:05 - 8:10		
	8:10 - 8:15		
	8:15 - 8:20	Fight to the second of the sec	*
T	8:20 - 8:25	Fundamental and the state of th	
P	8:25 - 8:30	** Company of the second company of the seco	T
I /P	8:30 - 8:35	2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	0
	8:35 - 8:40		0
	8:40 - 8:45	10. Cale 2001 A Avenue 3 - Avenue	2
	8:45 - 8:50		3
	8:50 - 8:55		2
	8:55 - 9:00	Construction of the Constr	2
Lancas		THE STATE OF THE	A CONTRACTOR OF THE CONTRACTOR
Afternoon I	Time	Cons	# o
Peds	(PM)	Gaps Leg: □ N □ S ✓ E □ W	Gap
	2:30 - 2:35		
	2:35 - 2:40		
	2:40 - 2:45		
	2:45 - 2:50		
	2:50 - 2:55		
	2:55 - 3:00		
	3:00 - 3:05		
	3:05 - 3:10		
	3:10 - 3:15		
	3:15 - 3:20		
	3:20 - 3:25		
	3:25 - 3:30		
	3:30 - 3:35	11,////////,12,/,16,//////////	3
P }	3:35 - 3:40		3
	3:40 - 3:45	Frank Construction (Construction Construction Constructio	8
	3:45 - 3:50		12
-	3:50 - 3:55	8 - 4 (y) - 4 (y) - (y)	11
• and with the second and the second		1 Salat Country of Country and American Country of Coun	1
	3:55 - 4:00		

1/1	
Volume of Traffic (see Intersection Plan):  AM:	
Number of Crossing Pedestrians:	
Turning Traffic:	
AM: Heavy Light Intermittent PM: Heavy Light Intermitten	
Traffic Behaviour	
AM: Illegal U-turns Running Red Light Speeding Stopping Non-Compliance Illegal Stopping Illegal Parking Othe	r
PM: Illegal U-turns Running Red Light Speeding Stopping Non-Compliance Illegal Stopping Illegal Parking Other	r
Comments/Conflicts	
- INTERSECTION OFFSET SOUTHWEST LEG OF SHARDAWN MEWS APPROXIMATELY 45 FEET WEST OF NORTHEAST LEG OF SHARDAWN MEWS AND QUEENSWAY WEST. ALL WAY STOP BUT NOT A SQUARE INTERSECTION (SEE ATTACHED MAP).	-
- TRAFFIC HEAVY AT TIMES:	
- STOPPING COMPLIANCE GOOD.	
- SIDEWALKS ON NORTH LEG OF SHARDAWN MEWS ON EAST SIDE ONLY TO THE BUS SHELTER AND TURN AROUND.	***************************************
- TRAFFIC COURTEOUS TO GROUP OF FOUR STUDENTS CROSSING IN PM.	0.000
	Managara (Salahanan) da
	processor (management)
	and the second
Paraman deliana	
Recommendations  1) THAT THE WARRANTS HAVE NOT BEEN MET FOR THE IMPLEMENTATION OF A SCHOOL CROSSING GUARD. FEW STUDE	
	NITO
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.	NTS
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.	voque un de la constitución de l
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	voque un de la constitución de l
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	Andrew metalogical versions
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF	voque un de la constitución de l
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF THE INTERSECTION.	voque un de la constitución de l
CROSSING. AMPLE SAFE GAPS IN TRAFFIC FOR STUDENTS TO CROSS THE ROAD.  2) THAT TRANSPORTATION AND WORKS BE REQUESTED TO REVIEW THE FEASIBILITY OF MOVING THE STOP SIGN ON THE WEST SIDE OF SHARDAWN MEWS SOUTH LEG TO SQUARE THE INTERSECTION AND PAINT LINES ON THE EAST LEG OF THE INTERSECTION.	Andrew metalogical versions





Imagery ©2022 First Base Solutions, Maxar Technologies, Map data ©2022